


[illegible]

PTO-1449 REPRODUCED		ATTORNEY DOCKET NO. 1062.1021-004	APPLICATION NO. 09/873,106
INFORMATION DISCLOSURE CITATION IN AN APPLICATION December 24, 2001 (Use several sheets if necessary)		APPLICANT Ellis L. Reinherz et al.	
FEB 25 2002 (Use several sheets if necessary)		FILING DATE June 1, 2001	GROUP 1645-1644
OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, Etc.)			
AD	AU	Bierer, Barbara E. et al., "Partial Deletions of the Cytoplasmic Domain of CD2 Result in a Partial Defect in Signal Transduction," <i>J. of Immunology</i> 144(3):785-789 (1990). ✓	
	AV	Bork, Peer and Sudol, Marius, "The WW domain: a signaling site in dystrophin?" <i>TIBS</i> 19(12):531-533 (1994). ✓	
	AW	Boussiotis, Vassiliki A. et al., "CD2 is Involved in Maintenance and Reversal of Human Alloantigen-specific Clonal Anergy," <i>J. Exp. Med.</i> 180:1665-1673 (1994). ✓	
	AX	Chang, Hsiu-Ching et al., "Dissection of the Human CD2 Intracellular Domain," <i>J. Exp. Med.</i> 169:2073-2083 (1989). ✓	
	AY	Chang, Hsiu-Ching et al., "Involvement of the PPPGHR Motif in T Cell Activation Via CD2," <i>J. Exp. Med.</i> 172:351-355 (1990). ✓	
	AZ	Gassmann, Martin et al., "Identification of a signaling complex involving CD2, ζ chain and p59 ^{lck} in T lymphocytes," <i>Eur. J. Immunol.</i> 24:139-144 (1994). ✓	
	AR2	Gollob, Jared A. et al., "Molecular Interaction Between CD58 and CD2 Counter-Receptors Mediates the Ability of Monocytes to Augment T Cell Activation by IL-12," <i>J. of Immunology</i> 157:1886-1893 (1996). ✓	
	AS2	Gollob, Jared A. et al., "CD2 Regulates Responsiveness of Activated T Cells to Interleukin 12," <i>J. Exp. Med.</i> 182:721-731 (1995). ✓	
	AT2	He, Qi et al., "A Role in Transmembrane Signaling for the Cytoplasmic Domain of the CD2 T Lymphocyte Surface Antigen," <i>Cell</i> 54:979-984 (1988). ✓	
	AU2	Li, Jing et al., "A cdc15-like adaptor protein (CD2BP1) interacts with the CD2 cytoplasmic domain and regulates CD2-triggered adhesion," <i>EMBO Journal</i> 17(24):7320-7336 (1998). ✓	
	AV2	Lillie, Sue H. and Brown, Susan S., "Suppression of a myosin defect by a kinesin-related gene," <i>Nature</i> 356:358-361 (1992). ✓	
	AW2	Macias, Maria J. et al., "Structure of the WW domain of a kinase-associated protein complexed with a proline-rich peptide," <i>Nature</i> 382:646-649 (1996). ✓	
	AX2	Moingeon, Philippe et al., "The Structural Biology of CD2," <i>Immunological Reviews</i> 111:111-144 (1989). ✓	
	AY2	Musacchio, Andrea et al., "Structure and Function of the SH3 Domain," <i>Prog. Biophys. Molec. Biol.</i> 61:283-297 (1994). ✓	
✓	AZ2	Nishizawa, Kazuhisa et al., "Identification of a proline-binding motif regulating CD2-triggered T lymphocyte activation," <i>Proc. Natl. Acad. Sci. USA</i> 95:14897-14902 (1998). ✓	
EXAMINER		DATE CONSIDERED	
		1-21-03	

RECEIVED

MAR 06 2002

TECH CENTER 1600/2900

PTO-1449 REPRODUCED		ATTORNEY DOCKET NO. 1062.1021-004	APPLICATION NO. 09/873,106
INFORMATION DISCLOSURE CITATION IN AN APPLICATION		APPLICANT Ellis L. Reinherz et al.	
December 24, 2001		FILED DATE June 1, 2001	GROUP 1645
(Use several sheets if necessary)		TECH CENTER 1800/2900	
OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, Etc.)			
AD	AR3	Nolan, Garry P. et al., "Fluorescence-activated cell analysis and sorting of viable mammalian cells based on β -D-galactosidase activity after transduction of <i>Escherichia coli lacZ</i> ," <i>Proc. Natl. Acad. Sci. USA</i> 85:2603-2607 (1988). ✓	
	AS3	Nguyen, Jack T. et al., "Exploiting the Basis of Proline Recognition by SH3 and WW Domains: Design of N-Substituted Inhibitors," <i>Science</i> 282:2088-2092 (1998). ✓	
	AT3	Pawson, Tony, "Protein modules and signalling networks," <i>Nature</i> 373:573-580 (1995). ✓	
	AU3	Reem, Gabrielle H. et al., "Lymphokine Synthesis is Induced in Human Thymocytes by Activation of the CD 2 (T11) Pathway," <i>J. of Immunology</i> 139(1):130-134 (1987). ✓	
	AV3	Ren, Ruibao et al., "Identification of a Ten-Amino Acid Proline-Rich SH3 Binding Site," <i>Science</i> 259:1157-1161 (1993). ✓	
	AW3	Semnani, R. Tolouei et al., "Acquisition of Interleukin-5 Secretion by Human Naive T-Helper Cells is Regulated by Distinct Signals from both the T-Cell Receptor/CD3 Complex and CD2," <i>Scand. J. Immunol.</i> 47:436-443 (1998). ✓	
	AX3	Springer, Timothy A., "Adhesion receptors of the immune system," <i>Nature</i> 346:425-434 (1990). ✓	
	AY3	Sudol, Marius, "Structure and Function of the WW Domain," <i>Prog. Biophys. Molec. Biol.</i> 65(2):113-132 (1996). ✓	
	AZ3	Sunder-Plassmann, Raute and Reinherz, Ellis L., "A p56 ^{lck} -independent Pathway of CD2 Signaling Involves Jun Kinase," <i>J. Biol. Chem.</i> 273(37):24249-24257 (1998). ✓	
	AR4	Targan, Stephan R. et al., "Definition of a Lamina Propria T Cell Responsive State," <i>J. of Immunology</i> 154:664-675 (1995). ✓	
	AS4	Yu, Hongtao et al., "Solution Structure of the SH3 Domain of Src and Identification of its Ligand-Binding Site," <i>Science</i> 258:1665-1668 (1992). ✓	
	AT4	Burkhardt, Anne L. and Bolen, Joseph B., "Assessment of the Effects of Tyrosine Protein Kinase Inhibitors," <i>Current Protocols in Immunology</i> , eds. J.E. Coligan et al. John Wiley and Sons, Vol. 2, pages 11.5.1 - 11.5.6 (1993). ✓	
↓	AU4	Mizukoshi, Noriko et al., "The complete sequence of African horsesickness virus serotype 4 (vaccine strain) RNA segment 5 and its predicted polypeptide compared with NS1 of bluetongue virus," <i>J. Gen. Virology</i> 73:2425-2428 (1992). ✓	
EXAMINER Ann De Korne		DATE CONSIDERED 1-21-03	